


**BOSCH**

Ceramic hob
Bosch - PKN645E14

Predecessor:
Successor:
EAN code: 4242002448688

sales programme:

Bosch - PKN645E14 brushed steel Frame design 60 cm, Ceramic hob

- Design:
- Frame design
- Confort:
- 4 HighSpeed cooking zones, including:
 - 1 with extendable oval zone
 - 1 dual zone
- Decorated HighSpeed ceramic glass
- 17 power levels
- Zone extension activation with a Touch sensor
- touchControl operating, Front control
- Environment+safety:
- Digital 2 stage residual heat indicator
- Childproof lock
- Safety switch-off
- Electronic display
- Power on indicator light
- Main switch
- Professional equipment:
- Quickness:
- Automatic boil start
- Measurements
- Min. worktop thickness: 20 mm

Optional accessories:

HEZ5920 : Intermediate bottom, 60 cm (Touch)
HEZ6000 : Metal roasting dish, 5 l
HEZ390090 : Wok for radiant and induction hobs

Characteristics


Built-in / Free-standing :
Energy input : Electric
Total number of positions that can be used at the same time : 4
Type of control setting devices : Touch-control
Required niche size for installation (HxWxD) : 47 x 560 x 500
Appliance Width (mm) : 575
Dimensions of the product (mm) : 51.0 x 575 x 515
Dimensions of the packed product (HxWxD) (mm) : 100 x 590 x 750
Net weight (kg) : 8.00
Gross weight (kg) : 9.00
Residual heat indicator :
Location of control panel : Hob front
Type of external control possibility :
Basic surface material :
Color of surface : Black, Stainless steel
Color of frame : Stainless steel, Black
Approval certificates : CE, VDE, ROSTEST
Length electrical supply cord (cm) :
Location of control panel : Hob front
Type of control setting devices : Touch-control
Length of electrical supply cord (in) :
Required cutout/niche size for installation (in) : x x
Appliance Dimensions (h x w x d) (in) : + x x
Dimensions of the packed product (in) : 3.937 x 23.228 x 29.527
Net weight (lbs) : 17.495
Gross weight (lbs) : 19.400

Consumption and connection features

Electrical connection rating (W) : 7200
Gas connection rating (W) :
Current (A) :

Included accessories:

1 x glass scraper



* Minimum distance from the hob cut-out to the wall

** Maximum installed depth

All measurements in mm

		Optional accessories:	Characteristics Consumption and connection features
		Alternative colors available:	

-	Included accessories:	
Predecessor:		
Successor:		
EAN code:		
sales programme:		

		Optional accessories:	Characteristics Consumption and connection features
		Alternative colors available:	

-	Included accessories:	
Predecessor:		
Successor:		
EAN code:		
sales programme:		

		Optional accessories:	Characteristics Consumption and connection features
		Alternative colors available:	

-	Included accessories:	
Predecessor:		
Successor:		
EAN code:		
sales programme:		

		Optional accessories:	Characteristics Consumption and connection features
		Alternative colors available:	

-	Included accessories:	
Predecessor:		
Successor:		
EAN code:		
sales programme:		

		Optional accessories:	Characteristics Consumption and connection features
		Alternative colors available:	

-	Included accessories:	
Predecessor:		
Successor:		
EAN code:		
sales programme:		

		Optional accessories:	Characteristics Consumption and connection features
		Alternative colors available:	

-	Included accessories:	
Predecessor:		
Successor:		
EAN code:		
sales programme:		

		Optional accessories:	Characteristics Consumption and connection features
		Alternative colors available:	

-	Included accessories:	
Predecessor:		
Successor:		
EAN code:		
sales programme:		